


# > aXR600

Excellent resistance to smudge and scratch  
 Excellent printing quality, sensitivity and receptor multi-compatibility  
 Good resistance to high temperature


**AXR®600 is the standard resin ribbon of the inkanto range for Corner Edge and Near Edge printers.** It has become a reference for its sharpness. It is also unequalled as regards to its high level of mechanical resistance and its ability to print at high speed.




## Printing receptor

papers	synthetics
Coated ●○○	PP ●●●
Glossy coated ●●○	PE ●●●
	PET ●●●

## Printer settings



## Print resistance



## Compliant with the following regulations

REACH / SVHC 1907/2006/EC
Food Contact 1935/2004/EC
Heavy metals 2011/65/EU
California Proposition 65
Halogen restrictions

## Your ribbon identity

Colours: ●


Length (m): .....

Width (mm): .....

Part number: .....


Your distributor: .....

Contact : .....



# AXR600

## Application fields




## Product performance

print quality		
90°Barcode		85
0°Barcode		100
Small characters		90
2D Barcode		100
Logos		95
Blackness		1,7 ODR
technical resistances		
Heat		180°C 356°F
Light/Blue Wool		>7
Solvents		45
Water/Submerge		100
Rubbing		95
Rubtester: 939g, no damage after ... cycles : IPA: 5      Ethanol: 25 Mineral Spirit: 30      Unleaded gasoline 98: nr* Motor oil: 250      Brake fluid: nr* *not recommended		

## Product physico-chemical features

product structure	
PET film	Thickness: 4,5 µm
Ink	Resin
Melting point	80°C/176°F
Backcoating	Silicon based
Coefficient of Friction	Kd < 0.2
Ribbon thickness	< 9 µm
The ribbon is anti static build-up treated	



## Storage

### storage conditions

12 months recommended

20-80 % Humidity Rate, 5-35°C (40-95°F)

## Waste management

inkanto rolls and their packaging allow an optimised waste management. For more information please contact ARMOR.

## The inkanto benefits



› **Warranty**  
This product is guaranteed for life against any manufacturing defect in normal conditions of use and storage.



› **Quality commitment**  
Easy to use with guaranteed product performance: the certificate of conformity for your product can be accessed via the flashcode on the box.



› **Easy to identify products:**  
The inkanto rolls families are identified by color codes. The roll labels highlight the important information about the product.



› **Your product is delivered with a cleaning wipe**  
To clean the print head and maintain the maximum performance of your printer.



› **Packing**  
Consistent packaging units depending on the roll dimensions.

## A certified and approved production site



**Quality, health & safety and environmental systems:**  
ISO 9001  
OHSAS 18001  
ISO 14001  
ISO 50001 (France only)



**Responsible Care**  
The charter of the International Council of Chemical Associations for improvements in health & safety and the environment.



**Global Compact**  
UN initiative inviting companies to apply fundamental ethical and environmental values.