



E700


High Resolution Inkjet Printer



Product Highlight

- Print speed up to 150m/min (150DPI), Max 12.7mm for Single Printhead, High Quality with High Resolution and precise printing.
- Support Multiple system fonts: Windows TrueType font, Logo (BMP/PMG/JPEG), Barcode, 2D barcode.
- Huge Message/Job storage.
- Flexible message/job content editing.
- TIJ 2.5 Technology, minimum maintenance needed. Low total cost of ownership.
- Various model/options available. Superior print capability.
- Support Multiple head seamless message stitching capability.
- Simple operation and easy installation.

Applications



E800

High Resolution Inkjet Printer



Printing Sample



150*300



300*300



300*550



300*600

Applications



E700



E800

Printer Specification

Model	E700	E700A	E800	E800A
Print Height	Single head - max. 12.7mm		Up to 4 printheads - max. 50.8mm	
Lines of Print Supported	Within printable area			
Dynamic Data	--	Remote Communication, barcode/2D Code, Database.	--	Remote Communication, barcode/2D Code, Database.
Printer Features				
Print Speed	160 m/min (150DPI)			
Data Supported	Text, Time, Date, Sequential Number, logo, linear barcode, 2D barcode.			
Fonts Supported	Windows font, TrueType font, Logo (BMP/PMG/ JPEG), Barcode, 2D barcode			
Message Length	20inch, Extendable			
Printer Memory	2GB			
OS	Proprietary			
External I/O		USB Host , Remote COM		USB Host , Remote COM
Environment	Temp.: 10~40 °C , Humidity: 10~80%			
EMI Compliance	EN55011:2009+A1:2010, EN61326-1:2013, EN61000-3-2:2014, EN61000-3-3:2013			
Printing Material	Porous, Semi Porous, and Non Porous surface.			
Power Supply	110V-240VAC,50/60Hz			
Power Rating	< 60W			

*Maximum print speed subjected to print resolution.

**Please consult EC-jet for more information.



Distributor